

IMP in HOLCF

Tobias Nipkow and Robert Sandner

September 11, 2023

Contents

1	Denotational Semantics of Commands in HOLCF	1
1.1	Definition	1
1.2	Equivalence of Denotational Semantics in HOLCF and Evaluation Semantics in HOL	1
2	Correctness of Hoare by Fixpoint Reasoning	2

1 Denotational Semantics of Commands in HOLCF

theory *Denotational* imports *HOLCF* "*HOL-IMP.Big_Step*" begin

1.1 Definition

definition

```
dlift :: "('a::type) discr -> 'b::pcpo) => ('a lift -> 'b)" where  
"dlift f = (LAM x. case x of UU => UU | Def y => f.(Discr y))"
```

```
primrec D :: "com => state discr -> state lift"
```

where

```
"D(SKIP) = (LAM s. Def(undiscr s))"  
| "D(X ::= a) = (LAM s. Def((undiscr s)(X := aval a (undiscr s))))"  
| "D(c0 ;; c1) = (dlift(D c1) oo (D c0))"  
| "D(IF b THEN c1 ELSE c2) =  
  (LAM s. if bval b (undiscr s) then (D c1).s else (D c2).s)"  
| "D(WHILE b DO c) =  
  fix.(LAM w s. if bval b (undiscr s) then (dlift w).(D c).s  
    else Def(undiscr s))"
```

1.2 Equivalence of Denotational Semantics in HOLCF and Evaluation Semantics in HOL

```
lemma dlift_Def [simp]: "dlift f.(Def x) = f.(Discr x)"  
by (simp add: dlift_def)
```

```

lemma cont_dlift [iff]: "cont (%f. dlift f)"
  by (simp add: dlift_def)

lemma dlift_is_Def [simp]:
  "(dlift f.l = Def y) = ( $\exists x. l = Def x \wedge f.(Discr x) = Def y$ )"
  by (simp add: dlift_def split: lift.split)

lemma eval_implies_D: " $(c,s) \Rightarrow t \implies D c.(Discr s) = (Def t)$ "
apply (induct rule: big_step_induct)
  apply (auto)
  apply (subst fix_eq)
  apply simp
apply (subst fix_eq)
apply simp
done

lemma D_implies_eval: " $\forall s t. D c.(Discr s) = (Def t) \longrightarrow (c,s) \Rightarrow t$ "
apply (induct c)
  apply fastforce
  apply fastforce
  apply force
  apply (simp (no_asm))
  apply force
apply (simp (no_asm))
apply (rule fix_ind)
  apply (fast intro!: adm_lemmas adm_chfindom ax_flat)
  apply (simp (no_asm))
  apply (simp (no_asm))
  apply force
done

theorem D_is_eval: " $(D c.(Discr s) = (Def t)) = ((c,s) \Rightarrow t)$ "
by (fast elim!: D_implies_eval [rule_format] eval_implies_D)

end

```

2 Correctness of Hoare by Fixpoint Reasoning

theory HoareEx imports Denotational begin

An example from the HOLCF paper by Müller, Nipkow, Oheimb, Slotosch [1]. It demonstrates fixpoint reasoning by showing the correctness of the Hoare rule for while-loops.

type_synonym assn = "state \Rightarrow bool"

definition

hoare_valid :: "[assn, com, assn] \Rightarrow bool" ("|= {(1_)} / () / {(1_)}" 50) where
 "|= {P} c {Q} = ($\forall s t. P s \wedge D c.(Discr s) = Def t \longrightarrow Q t$)"

lemma WHILE_rule_sound:

```

    " $\models \{A\} c \{A\} \implies \models \{A\} \text{ WHILE } b \text{ DO } c \{\lambda s. A s \wedge \neg \text{bval } b s\}$ "
  apply (unfold hoare_valid_def)
  apply (simp (no_asm))
  apply (rule fix_ind)
    apply (simp (no_asm)) — simplifier with enhanced adm-tactic
    apply (simp (no_asm))
  apply (simp (no_asm))
  apply blast
done

end

```

References

- [1] O. Müller, T. Nipkow, D. v. Oheimb, and O. Slotosch. HOLCF = HOL + LCF. *J. Functional Programming*, 9:191–223, 1999.